

(Click on Well Log ID to Access Image of Well Strip Log)

DENT

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID: 010516

WELL TYPE Private Well

DRILL DATE:

110FT

DRILL DEPTH: DEPTH TO BED:

15FT

TOWNSHIP 32N

RANGE 3W

SECTION 17

ELEVATION:

1,050FT

UTM X 650,793.28

UTM Y 4,148,241.21

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

REMARKS:

formerly in name of H.D. Stevens - NO PRODUCTION OR

CONSTRUCTION DATA

LOG ID:

WELL TYPE

010148

Noncommunity Public Well

DRILL DATE:

1947/08/01

TOWNSHIP 32N

RANGE 3W

SECTION 24

ELEVATION: 1,394FT

ZONE 15

DRILL DEPTH:

340FT

UTM X

UTM Y

DEPTH TO BED:

170FT

658,110.37

4,147,171.23

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

019340

Noncommunity Public Well

DRILL DATE:

1960/10/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,369FT

DRILL DEPTH:

375FT

32N

3W

24

UTM X

UTM Y

DEPTH TO BED:

170FT

in Bunker

4,146,969.22 657,910.37

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

021677

DEPTH TO BED:

Community Public Well

DRILL DATE:

1963/05/01

TOWNSHIP

32N

RANGE

SECTION

ELEVATION:

1,384FT

DRILL DEPTH:

850FT

90FT

3W 24

UTM X

UTMY 4,147,099.23

658,070.37 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

200



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025035

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 975FT

> 32N 3W 29 1,119FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 10FT

650,480.28 4,145,014.15

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 008846

TOWNSHIP SECTION DRILL DATE: 1944/12/20 **RANGE ELEVATION:** 1,342FT

32N 5W 1 DRILL DEPTH: 400FT

UTM X **UTMY** DEPTH TO BED: 125FT 637,772.02 4,151,219.20

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 11 MI SE OF SALEM ON HWY 19, 1 MI E OF GLADDEN POST

S.W.L. (AFTER CASING): 170 **OFFICE**

LOG ID:

WELL TYPE

Private Well 022783

DRILL DATE: 1963/11/29 **TOWNSHIP RANGE SECTION ELEVATION:** 943FT

32N **5W** 36 **DRILL DEPTH:** 125FT

UTM X UTM Y **DEPTH TO BED:** 638,564.11 4,142,606.06 15FT

formerly in name of James Dooley - 2 MI E OF HWY 19

5

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 45

LOG ID:

WELL TYPE

012804 **Outcrop Description**

1954/07/01 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,211FT

DRILL DEPTH: 75FT UTM X UTM Y

5W

DEPTH TO BED: 631.940.91 4,152,003.19

ZONE 15

32N

S.W.L. (BEFORE CASING): **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009036

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

305FT

90FT

710FT

525FT

1945/11/01 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 32N 5W 7

ELEVATION: 1,246FT

UTM X UTMY

630,249.93 4,149,878.15

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: formerly in name of Hamilton Lenox, Jr. - 5 MI W OF GLADDEN

S.W.L. (AFTER CASING): 230

LOG ID: 025152

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1967/09/01 **TOWNSHIP SECTION RANGE**

6W 10 **ELEVATION:** 1,301FT

32N

UTM X UTMY 4,149,951.15

626,037.91 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

NO SAMPLES ABOVE 525'

LOG ID: 025235

WELL TYPE Private Well

DRILL DATE: 1967/03/01

TOWNSHIP RANGE SECTION 32N 6W 8

UTM X

1,268FT

DRILL DEPTH: 325FT

UTM Y 622,826.89 4,150,156.14

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: NO PRODUCTION DATA

90FT

LOG ID: 022834

DEPTH TO BED:

WELL TYPE Private Well

1964/04/01 **DRILL DATE:**

RANGE TOWNSHIP 32N

SECTION 7W 10

ELEVATION:

1,234FT

DRILL DEPTH: DEPTH TO BED: 295FT 125FT

UTM X UTM Y

615,780.87 4,149,951.13

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

ON HWY 19, 2 MI W OF JCT OF HWY E



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023537

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1965/00/00

FOOET

500FT 90FT TOWNSHIP 32N RANGE SECTION 7W 10

ELEVATION:

1,208FT

DRILL DEPTH: 500F

<u>UTM X</u>

<u>UTM Y</u> 4,149,642.13

615,080.87 4 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: "WE

S.W.L. (AFTER CASING):

REMARKS: "WHISPERING PINES"

LOG ID: 016402

WELL TYPE Private Well

DRILL DATE:

1957/06/06

TOWNSHIP

<u>RANGE</u>

SECTION

ELEVATION: 1,215FT

ZONE 15

ZONE 15

DRILL DEPTH:

255FT

32N 7W 16

<u>UTM X</u>

UTM Y

DEPTH TO BED: 65FT

614,777.87

4,148,945.12

FT _____

REMARKS: HWY 119 @ JCT OF HEPSODA CHURCH RD

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

175

LOG ID: 023346

WELL TYPE Private Well

DRILL DATE:

1965/02/08

1905/02/06

TOWNSHIP 32N RANGE SECTION

ELEVATION:

1,214FT

DRILL DEPTH:

228FT

7W 16

<u>UTM X</u> 614,777.87 <u>UTM Y</u> 4,148,945.12

DEPTH TO BED:

130FT

REMARKS: HWY 119, 2 MI N OF MONTAUK PARK

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE Private Well

023691

1965/05/01

TOWNSHIP

RANGE SECTION

ELEVATION:

1,227FT

DRILL DATE:
DRILL DEPTH:

DEPTH TO BED:

188FT 90FT 32N 7W

2

UTM X U

616,575.85

<u>UTM Y</u> 4,152,051.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: @ JCT HWYS E & 119

S.W.L. (AFTER CASING):

120



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002768

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

1933/10/01 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,034FT

> 32N 7W 22 422FT

> > **REMARKS:**

UTM X UTM Y DEPTH TO BED: 15FT 616,202.91 4,146,140.10

ZONE 15

S.W.L. (AFTER CASING): 100

S.W.L. (BEFORE CASING):

LOG ID: 022976

WELL TYPE

Private Well

1964/05/01 DRILL DATE: **TOWNSHIP SECTION RANGE ELEVATION:** 1,106FT

32N 22 7W DRILL DEPTH: 235FT

FT

UTM X UTMY DEPTH TO BED: 100FT 615,602.91 4,146,140.10

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: 4 MI S OF JCT OF HWYS E & 119

S.W.L. (AFTER CASING): 170

LOG ID:

WELL TYPE

Noncommunity Public Well 019085

DRILL DATE: 1960/01/01 **TOWNSHIP RANGE SECTION ELEVATION:** 981FT

32N **7W** 23 **DRILL DEPTH:** 400FT

UTM X UTM Y **DEPTH TO BED:** 20FT 617,160.92 4,145,859.10

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Noncommunity Public Well 022975

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 926FT

DRILL DEPTH: 500FT UTM X UTM Y

DEPTH TO BED: 616.689.92 4,145,830.10 5FT

7W

26

ZONE 15

32N

S.W.L. (BEFORE CASING): IN REAR OF LODGE **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024772

WELL TYPE Private Well

1966/07/30 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,178FT

32N 7W 27 **DRILL DEPTH:** 185FT

UTM X **UTMY** DEPTH TO BED: 50FT 615,624.92 4,144,541.09

ZONE 15

S.W.L. (BEFORE CASING): FT 0.5 MI S OF HWY 119 ON HWY V NEAR MONTAUK PARK **REMARKS**:

S.W.L. (AFTER CASING): 80

LOG ID:

WELL TYPE

Noncommunity Public Well 026850

DRILL DATE: **TOWNSHIP SECTION** 1971/05/01 **RANGE ELEVATION:** 1,016FT

32N 27 7W DRILL DEPTH: 600FT

UTM X UTMY DEPTH TO BED: 25FT 616,359.91 4,145,833.10

ZONE 15 87 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 93 FT

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 008219

SECTION DRILL DATE: 1943/03/22 **TOWNSHIP RANGE ELEVATION:** 1,120FT

32N **7W** 28 **DRILL DEPTH:** 125FT

UTM X UTM Y

DEPTH TO BED: 614,122.91 4,145,051.09 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** ALL RESIDUUM, PROSPECT HOLE

105 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

008220 Exploratory Hole (Mineral Prospect)

1943/03/23 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,113FT

DRILL DEPTH: UTM X UTM Y

7W

28

DEPTH TO BED: 614.122.91 4,145,051.09

ZONE 15

32N

S.W.L. (BEFORE CASING):

REMARKS: S.W.L. (AFTER CASING):

95FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008221

WELL TYPE

Exploratory Hole (Mineral Prospect)

1943/03/25 DRILL DATE:

TOWNSHIP RANGE 32N

ELEVATION:

1,115FT

DRILL DEPTH:

95FT

7W 28

SECTION

UTM X 614,122.91

UTMY 4,145,051.09

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 023963

WELL TYPE Private Well

DRILL DATE:

1965/08/01

TOWNSHIP

RANGE

ELEVATION:

DRILL DEPTH:

285FT

32N 7W 28

SECTION

UTM X **UTMY**

ZONE 15

614,822.91

DEPTH TO BED:

75FT

185

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 027113

WELL TYPE

Private Well

DRILL DATE:

1969/10/02

TOWNSHIP

SECTION RANGE

ELEVATION: 1,222FT

DRILL DEPTH:

245FT

32N **7W** 29

UTM X UTM Y

DEPTH TO BED:

125FT

611,818.90

4,145,571.10

4,145,150.09

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 8 MI SE OF LICKING ON HWY VV TO MONTAUK PARK

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

022836

Private Well

DRILL DATE:

1964/04/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

DRILL DEPTH:

165FT

55FT

32N

7W

32

UTM X UTM Y

611.945.92

4,143,263.08 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 4 MI E OF MAPLES

S.W.L. (AFTER CASING):

DEPTH TO BED:

120



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015232

WELL TYPE Private Well

1956/07/12 DRILL DATE:

TOWNSHIP 32N

REMARKS:

SECTION

ELEVATION: 1,310FT

DRILL DEPTH:

293FT

7W

UTM X **UTMY**

DEPTH TO BED: 120FT

613,544.83 4,152,270.15

S.W.L. (BEFORE CASING):

FT

ZONE 15

S.W.L. (AFTER CASING):

238

LOG ID: 022686

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1964/05/01

TOWNSHIP 33N

SECTION RANGE

ELEVATION: 1,352FT

DRILL DEPTH:

260FT

138

4W 25

RANGE

UTM X

ZONE 15

UTMY

4,161,327.42

DEPTH TO BED: 170FT

647,498.16

4,154,740.32

S.W.L. (BEFORE CASING):

FT

FT

TD AT TOP OF GASCONADE REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 010497

WELL TYPE Private Well

DRILL DATE:

1948/10/06

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,117FT

642,821.99

DRILL DEPTH:

150FT

33N 4W 4

UTM X UTM Y

ZONE 15

DEPTH TO BED:

20FT

35

12 MI E OF SALEM

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 020310

WELL TYPE Private Well

DRILL DATE:

165FT

TOWNSHIP RANGE 33N

SECTION 4W

ELEVATION: 1,193FT

DRILL DEPTH: DEPTH TO BED:

70FT

UTM X 639.834.97

UTM Y 4,158,664.35

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

formerly in name of Everett Land - 12 mi SE of Salem; no production or

construction data



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020213

WELL TYPE Private Well

1961/00/00 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,310FT

> 33N 5W 12 365FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 75FT

638,693.94 4,159,484.36

ZONE 15

S.W.L. (BEFORE CASING): FT

ON HWY B, 2 MI FROM DOSS **REMARKS:**

S.W.L. (AFTER CASING): 265

LOG ID: 022745

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1964/03/01 **RANGE ELEVATION:** 1,298FT

33N 5W 18 DRILL DEPTH: 430FT

UTM X UTMY

DEPTH TO BED: 125FT 630,414.82 4,158,579.29 ZONE 15

S.W.L. (BEFORE CASING): REMARKS: formerly in name of H. Muegge - on Hwy 19, 2.5 mi S of Salem

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 026507

SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION: 1,270FT

33N **5W** 25 **DRILL DEPTH:** 1.405FT

UTM X UTM Y **DEPTH TO BED:** 637,945.99 4,154,228.26 95FT

VIRGIL HALBROCK FARM; CORE IN WAREHOUSE

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 027426

WELL TYPE Private Well

SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION: 1,264FT

33N 5W 27 **DRILL DEPTH:** 305FT

UTM X UTM Y

DEPTH TO BED: 634.806.91 4,155,184.25 95FT

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027876

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP 33N

RANGE SECTION 5W 32

ELEVATION: 1,245FT

UTM X

DRILL DEPTH: 405FT

UTMY

631,681.90 4,152,892.20

ZONE 15

S.W.L. (BEFORE CASING):

NO PRODUCTION OR CONSTRUCTION DATA **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 008977

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1945/11/03

TOWNSHIP 33N

SECTION RANGE

6

ELEVATION:

1,288FT

DRILL DEPTH:

330FT

80FT

5W

UTM X 630,173.79

UTMY 4,161,615.34

DEPTH TO BED:

80FT

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of Aca Thorpe - 4 mi S of Salem

S.W.L. (AFTER CASING):

LOG ID: 020411

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1961/11/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,346FT

DRILL DEPTH:

602FT

33N

5W 7

> UTM X UTM Y

> > ZONE 15

DEPTH TO BED: 125FT 630,252.82

4,158,971.30

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

formerly in name of Dent Co Reorganized School District R-1 - nearly

every other 5 ft of samples logged; 368 ft of 5 inch liner

LOG ID:

WELL TYPE Private Well

010243

1948/05/01

TOWNSHIP 33N

REMARKS:

RANGE SECTION **ELEVATION:** 1,324FT

DRILL DATE: DRILL DEPTH:

505FT

6W 12

> UTM X UTM Y

DEPTH TO BED:

62FT

628.466.81

4,159,529.30

ZONE 15

S.W.L. (BEFORE CASING):

FT

1 MI W OF HWY 19 ON HWY K, 5 MI S OF SALEM **REMARKS**:

S.W.L. (AFTER CASING): 355



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022969

DRILL DEPTH:

LOG ID:

WELL TYPE Private Well

REMARKS:

376FT 33N 6W 26

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 60FT 626,180.86 4,153,978.21

0.5 MI E OF DARIEN

0,100.00 1,1

ZONE 15

1,282FT

S.W.L. (AFTER CASING): 310

5.W.L. (AFTER CASING): 310

S.W.L. (BEFORE CASING):

WELL TYPE

020155 Noncommunity Public Well

DRILL DATE: 1961/00/00 TOWNSHIP RANGE SECTION ELEVATION: 1,362FT

DRILL DEPTH: 392FT 33N 6W 27

FT

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 80FT 624,563.85 4,154,820.22

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: HWYS K & E SOUTH OF SALEM

S.W.L. (AFTER CASING): 340

LOG ID: WELL TYPE
026708 Private Well

DRILL DATE: 1968/11/30 TOWNSHIP RANGE SECTION ELEVATION: 1,301FT

DRILL DEPTH: 355FT 33N 6W 29

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 110FT 621,730.85 4,154,069.20

S.W.L. (BEFORE CASING): FT PENARYO 14 MICH OF CALEMA COS MIS OF ICT HANGE OF A STREET

REMARKS: 11 MI SW OF SALEM, 0.25 MI E OF JCT HWYS E & F; "POOR

S.W.L. (AFTER CASING): 200 SAMPLES"

LOG ID: WELL TYPE
013890 Private Well

<u>DRILL DATE:</u> 1955/00/00 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,308FT

DRILL DEPTH: 405FT UTM X UTM Y

6W

30

<u>DEPTH TO BED:</u> 310FT 620,916.84 4,154,912.21

W.L. (BEFORE CASING): FT _____

33N

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 300



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019324

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1960/00/00

TOWNSHIP 33N

RANGE SECTION 30

ELEVATION:

1,271FT

DRILL DEPTH:

500FT

6W

UTM X 621,093.83

UTMY 4,155,250.21

DEPTH TO BED: 55FT

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING): 220

220

FT

FT

FT

REMARKS: formerly known as R-2 School ZONE 15

LOG ID: 027932

WELL TYPE

DRILL DATE:

Private Well

TOWNSHIP

SECTION RANGE

ELEVATION:

1,300FT

DRILL DEPTH:

280FT 165FT

140

33N 16 7W

UTM X

UTMY 613,267.79 4,157,674.23

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

010487

Private Well

DRILL DATE:

1948/09/20

TOWNSHIP RANGE **SECTION**

ELEVATION:

1,305FT

DRILL DEPTH:

206FT

33N **7W** 24

UTM X

UTM Y

DEPTH TO BED:

130FT

162

618,894.82 4,155,709.22

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: 3 MI SW OF JACK

LOG ID: 026706

WELL TYPE Private Well

DRILL DATE:

1968/12/17

TOWNSHIP 33N

RANGE

SECTION

ELEVATION:

1,261FT

DRILL DEPTH:

DEPTH TO BED:

290FT 65FT 7W 30

> UTM X UTM Y

611,285.81 4,154,940.19

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

15 MI W OF SALEM, 0.25 MI W OF HWY 32

160 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016824

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Exploratory Hole (Mineral Prospect)

1957/02/01 DRILL DATE:

TOWNSHIP RANGE SECTION 34N

2W 19

UTM X **UTMY**

1,170FT

658,759.18 4,165,039.60

ELEVATION:

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 002764

WELL TYPE

Noncommunity Public Well

525FT

40FT

DRILL DATE:

1933/10/01

TOWNSHIP

SECTION RANGE

ELEVATION:

1,264FT

DRILL DEPTH:

180FT

34N 2W 21

UTM X

UTMY 4,166,234.64

662,565.17 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

50FT

90

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016821

Exploratory Hole (Mineral Prospect)

FT

DRILL DATE:

1957/09/01

TOWNSHIP RANGE **SECTION**

ELEVATION:

1,185FT

DRILL DEPTH:

540FT

34N 2W

UTM X

UTM Y

DEPTH TO BED:

50FT

28

4,163,841.59

661,984.21 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

022221

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1964/01/17

TOWNSHIP

SECTION RANGE

ELEVATION:

1,315FT

34N

2W 28

DRILL DEPTH:

DEPTH TO BED:

370FT 95FT

UTM Y

662.384.19 ZONE 15

UTM X

4,164,853.61

S.W.L. (BEFORE CASING):

95-245' (#22221 - COMPLETE LOG); 250-370' (#22469) **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022469

DRILL DATE:

WELL TYPE

Exploratory Hole (Mineral Prospect)

1964/01/17

34N 2W 28 **DRILL DEPTH:** 370FT

UTM X **UTMY**

TOWNSHIP

DEPTH TO BED: 95FT 662,384.19 4,164,853.61

ZONE 15

1,315FT

ELEVATION:

S.W.L. (BEFORE CASING):

SEE #22221 FOR COMPLETE LOG **REMARKS**:

RANGE

SECTION

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016822 **Exploratory Hole (Mineral Prospect)**

DRILL DATE: **TOWNSHIP SECTION** 1957/00/00 **RANGE ELEVATION:** 1,150FT

2W 29 34N DRILL DEPTH: 580FT

UTM X UTMY DEPTH TO BED: 20FT 660,579.20 4,163,836.58

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 016823

DRILL DATE: 1957/09/01 **TOWNSHIP RANGE SECTION ELEVATION:** 1,120FT

34N 2W 30 **DRILL DEPTH:** 495FT

UTM X UTM Y **DEPTH TO BED:** 20FT 659,168.20 4,163,833.58

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** MINERAL TEST

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 019903

1961/02/15 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,239FT

DRILL DEPTH: 145FT UTM X UTM Y

3W

13

DEPTH TO BED: 657.970.14 4,167,510.65 45FT

ZONE 15

34N

S.W.L. (BEFORE CASING): FT 1 MI W OF BOSS **REMARKS**:

S.W.L. (AFTER CASING): 100



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020975

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,214FT

34N 3W 26 **DRILL DEPTH:**

UTM X **UTMY DEPTH TO BED:** 655,366.18 4,164,110.57

ZONE 15

S.W.L. (BEFORE CASING):

SEE LOG #23793 FOR COMPLETE LOG **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 023793

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,224FT

34N 3W 26 DRILL DEPTH: 1,205FT

UTM X UTMY DEPTH TO BED: 10FT 655,366.18 4,164,110.57

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: ALSO LOGGED AS #20975

S.W.L. (AFTER CASING):

LOG ID: 019856

WELL TYPE

Private Well

SECTION DRILL DATE: 1961/03/10 **TOWNSHIP RANGE ELEVATION:** 1,372FT

34N 3W 29 **DRILL DEPTH:** 215FT

UTM X UTM Y **DEPTH TO BED:** 650,631.10 4,164,794.55 65FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 0.5 MI FROM HOWES MILL STORE (HAWNS MILL ??)

S.W.L. (AFTER CASING): 140

LOG ID:

WELL TYPE

Private Well 006902

1941/06/17 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:**

34N 3W 8 **DRILL DEPTH:** 160FT

DEPTH TO BED: 53FT 650.123.04 4,169,156.64

UTM X

ZONE 15

UTM Y

S.W.L. (BEFORE CASING): FT **REMARKS:** OLD WELL TO 55'

32 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007819

WELL TYPE Private Well

1942/06/30 DRILL DATE: **TOWNSHIP RANGE**

> 34N 4W

ELEVATION:

1,120FT

DRILL DEPTH: 175FT

UTM X

UTMY 4,168,102.52

UTMY

639,751.85 ZONE 15

DEPTH TO BED:

5FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

ABT 100' ABOVE MERAMEC RIVER

LOG ID:

WELL TYPE

002766

Noncommunity Public Well

85

DRILL DATE:

1933/10/16

FT

FT

TOWNSHIP

SECTION RANGE

SECTION

18

ELEVATION:

DRILL DEPTH:

255FT

34N 4W 3

UTM X

645,363.93 4,170,745.63

DEPTH TO BED:

105FT

135

REMARKS:

INDIAN TRAIL STATE PARK #2

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 010486

WELL TYPE

Private Well

DRILL DATE:

1948/10/06

FT

TOWNSHIP RANGE **ELEVATION:**

1,238FT

DRILL DEPTH:

146FT

34N **5W**

UTM X 634,529.73

UTM Y 4,169,644.50

DEPTH TO BED:

118FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

74

REMARKS:

LOG ID:

WELL TYPE

010294

Private Well

DRILL DATE:

1948/07/01

TOWNSHIP

SECTION RANGE

SECTION

10

ELEVATION: 1,170FT

ZONE 15

DRILL DEPTH:

50FT

5W 17

> UTM X 631,530.72

UTM Y 4,166,857.43

DEPTH TO BED:

34N

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

GASCONADE RESIDUUM REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012195

WELL TYPE

Community Public Well

1953/06/01 DRILL DATE:

DRILL DEPTH: 1,500FT

DEPTH TO BED: 85FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 54 **TOWNSHIP RANGE SECTION** 34N

5W 18 **ELEVATION:**

1,185FT

UTM X 630,306.72

UTMY 4,167,093.43

ZONE 15

DEEPENED, THEN PLUGGED & ABANDONED - SEE LOG #12339 **REMARKS**:

LOG ID:

WELL TYPE

012339 Community Public Well

DRILL DATE:

1953/06/01

DEPTH TO BED:

1,500FT 85FT 34N

TOWNSHIP

TOWNSHIP

34N

RANGE 5W

SECTION 18

SECTION

19

ELEVATION:

1,185FT

DRILL DEPTH:

RANGE

5W

UTM X

UTMY

630,306.72 4,167,093.43 ZONE 15

S.W.L. (BEFORE CASING):

FT

PLUGGED & ABANDONED 10\1973 - ALSO LOG #12195 **REMARKS**:

S.W.L. (AFTER CASING):

WELL TYPE

Community Public Well 027620

DRILL DATE:

LOG ID:

1974/06/18

60

54

DRILL DEPTH: 917FT

DEPTH TO BED: 80FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

49

REMARKS:

FT FT

FT

UTM X 629,526.74

ELEVATION:

UTM Y

1,200FT

4,165,801.40

ZONE 15

LOG ID:

WELL TYPE

Private Well 022484

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1963/11/20

150FT

140FT

TOWNSHIP 34N

RANGE 5W

SECTION 20

ELEVATION:

1,183FT

UTM X UTM Y 4,166,676.43

631.548.73

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

40

REMARKS:

2/27/2007

1,375



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028708

WELL TYPE

Community Public Well

1985/06/29 DRILL DATE:

DRILL DEPTH: 920FT

DEPTH TO BED: 100FT

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION 34N

RANGE

RANGE

5W

5W

Industrial Park Well

5W 20

SECTION

21

SECTION

22

ELEVATION:

1,191FT

1,246FT

UTMY

4,165,203.41

1,226FT

UTM Y

4,166,003.44

UTM X 630,915.74

ELEVATION:

UTM X

632,568.75

ELEVATION:

UTM X

634,389.77

UTMY 4,165,831.41

ZONE 15

ZONE 15

LOG ID:

019879

WELL TYPE Private Well

DRILL DATE:

255FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

75FT

REMARKS: 1 MI SE OF SALEM ON HWY P

TOWNSHIP

34N

S.W.L. (AFTER CASING):

LOG ID: 026126

WELL TYPE Private Well

DRILL DATE:

1967/07/17

DRILL DEPTH: 300FT

DEPTH TO BED: 105FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 007128

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1941/07/15

100FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

70

200

FT

FT

REMARKS: 3 MI E OF SALEM ON HWY 32

TOWNSHIP

34N

TOWNSHIP RANGE 34N

5W

SECTION 24

ELEVATION: 1,130FT

UTM X UTM Y 637,524.84 4,165,648.46

ZONE 15

ZONE 15

REMARKS:



RANGE

RANGE

RANGE

5W

5W

5W

SECTION

24

SECTION

29

SECTION

30

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

638,124.85

ELEVATION:

UTM X

632,416.77

ELEVATION:

UTM X

629,444.75

ELEVATION:

ZONE 15

ZONE 15

ZONE 15

1,201FT

UTMY

4,165,855.47

1,300FT

UTMY

4,163,550.38

1,237FT

UTM Y

4,164,980.39

1,231FT

LOG ID: 026105

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1968/09/23 DRILL DATE:

90

177FT

15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: "CAN'T LOCATE"

TOWNSHIP

34N

TOWNSHIP

34N

REMARKS:

REMARKS:

TOWNSHIP

34N

LOG ID: 028064

WELL TYPE

Community Public Well

DRILL DATE:

DRILL DEPTH: 1,000FT

DEPTH TO BED:

240FT

S.W.L. (BEFORE CASING):

250 FT

S.W.L. (AFTER CASING):

365 FT

FT

LOG ID: 013673

WELL TYPE

Private Well

DRILL DATE:

1954/00/00

DRILL DEPTH: 270FT

DEPTH TO BED: 100FT

S.W.L. (BEFORE CASING):

220 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

025556 **DRILL DATE:**

1967/09/01

DRILL DEPTH:

440FT

DEPTH TO BED: 160FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP

RANGE 34N 5W 34

SECTION

UTM X

UTM Y 634.222.80 4,163,376.39

ZONE 15

3 MI S OF 4-WAY STOP ON HWY 32 **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020308

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961/06/01 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,222FT

DRILL DEPTH: 300FT 34N 5W 5

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 155FT 631,356.67 4,171,380.50

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: formerly known as R-4 School - LONG 1 X 2 MI SECTION

S.W.L. (AFTER CASING):

LOG ID: 009014

WELL TYPE Private Well

<u>DRILL DATE:</u> 1945/11/26 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,196FT

DRILL DEPTH: 121FT 34N 5W 6

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 100FT 630,255.68 4,170,233.48

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 2 MI N OF SALEM ON HWY 19, 400' E; LONG 1 X 2 MI SECTION

S.W.L. (AFTER CASING): 40

LOG ID:

WELL TYPE

001666 Private Well

DRILL DATE: 1912/00/00 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 1,154FT

<u>DRILL DEPTH:</u> 1,450FT 34N 5W 7

UTM X UTM Y

<u>DEPTH TO BED:</u> 800FT 629,990.69 4,169,221.46

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: FLOWING WELL

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

022149 In

Industrial High Capacity Well

245FT

DRILL DATE: 1963/00/00 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 1,149FT

34N

DEPTH TO BED. 1707

<u>DEPTH TO BED:</u> 150FT 629,290.69 4,169,530.46

5W

7

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION DATA

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025499

WELL TYPE

Noncommunity Public Well

1968/03/22 DRILL DATE:

TOWNSHIP RANGE 34N 5W

ELEVATION:

1,148FT

DRILL DEPTH:

120FT

UTM X

UTMY

DEPTH TO BED:

SECTION

7

629,290.70 4,168,912.45

ZONE 15

S.W.L. (BEFORE CASING):

ROUBIDOUX RESIDUUM REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 010630

WELL TYPE

Private Well

DRILL DATE:

1949/01/14

TOWNSHIP

SECTION RANGE

ELEVATION:

1,228FT

DRILL DEPTH:

159FT

34N 6W 1

UTM X

UTMY

DEPTH TO BED:

628,832.68

4,170,263.47

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

1 MI NW OF SALEM NEAR HWY 68

S.W.L. (AFTER CASING):

LOG ID: 010631

WELL TYPE

Private Well

DRILL DATE:

1949/01/14

TOWNSHIP

34N

RANGE SECTION **ELEVATION:**

1,213FT

DRILL DEPTH:

103FT

6W

UTM X

UTM Y 4,171,201.49

DEPTH TO BED:

628,832.67

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

78

FT

REMARKS:

1 MI NW OF SALEM NEAR HWY 68

LOG ID:

027363

WELL TYPE

Private Well

DRILL DATE:

95FT

TOWNSHIP

RANGE

SECTION

ELEVATION:

UTM X

1,135FT

UTM Y

DRILL DEPTH: DEPTH TO BED: 34N 6W 11

626.727.70

4,169,280.45

ZONE 15

S.W.L. (BEFORE CASING):

RESIDUAL GASCONADE REMARKS:

S.W.L. (AFTER CASING):



RANGE

6W

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010392

DEPTH TO BED:

WELL TYPE Private Well

1948/07/17 DRILL DATE:

TOWNSHIP 34N

SECTION 12

ELEVATION: 1,150FT

DRILL DEPTH: 68FT

UTM X **UTMY**

4,168,731.45

629,065.70

ZONE 15

S.W.L. (BEFORE CASING):

JCT HWYS 68 & 19 @ SALEM; RESIDUAL ROUBIDOUX **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 023349

WELL TYPE Private Well

DRILL DATE:

1965/02/01

TOWNSHIP 34N

SECTION RANGE

ELEVATION: 1,195FT

DRILL DEPTH: 140FT 6W 12

UTM X UTMY

628,965.69 ZONE 15

DEPTH TO BED: 40FT S.W.L. (BEFORE CASING):

REMARKS: 1 MI N OF SALEM ON HWY 68

S.W.L. (AFTER CASING):

LOG ID: 003097

WELL TYPE

Community Public Well

DRILL DATE:

1925/00/00

TOWNSHIP 34N

RANGE

SECTION

ELEVATION:

1,200FT

DRILL DEPTH:

710FT

6W 13

UTM X

UTM Y

4,169,866.47

DEPTH TO BED:

629,075.72 4,167,114.42 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: TOPS ONLY, NO SAMPLES SHOWN ON COPY IN FILES

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003972

DEPTH TO BED:

Community Public Well

DRILL DATE:

1936/11/01

TOWNSHIP 34N

RANGE

SECTION

ELEVATION:

1,180FT

DRILL DEPTH:

1,470FT

65FT

6W 13

> UTM X UTM Y

628.548.72 4,167,398.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

PLUGGED BACK TO 876' (1966); NOT USED (5/1964) - Driller's Log

Attached

S.W.L. (AFTER CASING): 46



RANGE

TWO SWL'S, 39', & 41.5'

6W

SECTION

13

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024066

WELL TYPE

Community Public Well

DRILL DATE: 1966/03/01

DRILL DEPTH: 850FT

S.W.L. (BEFORE CASING):

UTM X

TOWNSHIP

34N

REMARKS:

UTMY DEPTH TO BED: 135FT 628,005.72 4,167,401.43

ZONE 15

1,177FT

ELEVATION:

S.W.L. (AFTER CASING): 42

LOG ID:

WELL TYPE

025266 Noncommunity Public Well

DRILL DATE: 1967/00/00 **TOWNSHIP SECTION RANGE ELEVATION:** 1,175FT

34N 6W 14 DRILL DEPTH: 70FT

FT

UTM X UTMY DEPTH TO BED: 50FT 627,445.71 4,167,863.43

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 013762

WELL TYPE

Private Well

DRILL DATE: 1955/05/01 **TOWNSHIP RANGE SECTION ELEVATION:** 1,196FT

> 34N 6W 17 200FT

DRILL DEPTH: UTM X UTM Y **DEPTH TO BED:** 60FT 622,164.71 4,168,280.42

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 145

LOG ID:

DRILL DEPTH:

WELL TYPE

Private Well 010629

1948/12/31 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,223FT 34N 6W 20

UTM X UTM Y

DEPTH TO BED: 622.471.72 4,166,765.40 75FT

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: S.W.L. (AFTER CASING):

149FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010634

WELL TYPE Private Well

1948/12/23 DRILL DATE:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP 34N

RANGE SECTION **ELEVATION:**

1,198FT

DRILL DEPTH:

123FT

6W 21

UTM X 623,599.73

UTMY 4,166,416.40

DEPTH TO BED:

FT

3 MI W OF SALEM ON HWY D; RESIDUAL ROUBIDOUX & **REMARKS**:

GASCONADE

ZONE 15

LOG ID: 013504

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION 21

SECTION

ELEVATION:

ZONE 15

1,238FT

DRILL DEPTH:

209FT

34N 6W

> **UTM X** 624,099.72

UTMY 4,166,722.40

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

115FT

150

FT

FT

97

REMARKS:

formerly in name of C.S. Algire - 1.5 mi W of Hwy 72 on Hwy D; 0.150 ft

- slides and crevices

LOG ID:

WELL TYPE Private Well 022472

DRILL DATE:

1963/11/14

TOWNSHIP

RANGE

ELEVATION:

1.218FT

DRILL DEPTH:

180FT

34N 6W 21

UTM X

DEPTH TO BED:

80FT

UTM Y 623,299.73 4,166,416.39

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

145

REMARKS:

LOG ID:

WELL TYPE

010632

Private Well

DRILL DATE:

1949/02/16

TOWNSHIP 34N

SECTION RANGE

ELEVATION:

1,257FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (AFTER CASING):

170FT

6W 22

UTM X

ZONE 15

624.618.72

UTM Y 4,166,807.40

S.W.L. (BEFORE CASING):

REMARKS:

ROUBIDOUX & GASCONADE RESIDUUM; 3 MI W OF SALEM ON

HWY D



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024102

DRILL DEPTH:

WELL TYPE Private Well

1966/03/02 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 34N 6W 22

ELEVATION:

1,283FT

DEPTH TO BED: 95FT

UTM X 625,718.73

UTMY 4,165,977.40

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

151

215FT

WELL TYPE

LOG ID: 009482

Industrial High Capacity Well

DRILL DATE:

1946/02/01

TOWNSHIP

SECTION RANGE

ELEVATION:

1,222FT

DRILL DEPTH:

203FT

34N 6W 23

UTM X

ZONE 15

626,560.73

UTMY 4,166,461.41

DEPTH TO BED: S.W.L. (BEFORE CASING):

25FT

57

REMARKS:

S.W.L. (AFTER CASING):

FT

W OF SALEM AT JCT HWYS 32 & 72

LOG ID: 016271

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1957/06/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,197FT

DRILL DEPTH:

125FT

34N 6W

UTM X

DEPTH TO BED:

50FT

46

23

626,860.73 4,166,359.41

UTM Y

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: SW OF SALEM @ JCT HWYS 72 & 32

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

025696

Community Public Well

DRILL DATE:

1968/05/31

TOWNSHIP

SECTION RANGE

ELEVATION:

1,223FT

DRILL DEPTH:

995FT

34N 6W 24

UTM X

UTM Y

DEPTH TO BED:

628.299.73 4,166,320.41 ZONE 15

S.W.L. (BEFORE CASING):

OLD WELL DEEPENED - SEE LOG #27929 FOR COMPLETE LOG **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027929

WELL TYPE

Community Public Well

1968/05/31 DRILL DATE:

DRILL DEPTH: 995FT

DEPTH TO BED: 105FT

S.W.L. (BEFORE CASING): 60

S.W.L. (AFTER CASING): FT 100

TOWNSHIP RANGE SECTION 34N 6W 24

ELEVATION:

1,223FT

UTM X 628,299.73

UTMY 4,166,320.41

ZONE 15

E-LOGS AVAILABLE; OLD WELL (#25696) DEEPENED 875-995'

(1975)

REMARKS:

LOG ID: 027255

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1970/05/16

70FT

FT

TOWNSHIP 34N

RANGE 6W

SECTION 28

ELEVATION: 1,222FT

DRILL DEPTH: 220FT

UTM X

623,812.75 4,164,183.36 ZONE 15

S.W.L. (BEFORE CASING):

FT

8 MI W OF SALEM ON HWY 32' YIELD - "DRILLER DIDN'T NO" **REMARKS**:

S.W.L. (AFTER CASING): 147

LOG ID: 002246

WELL TYPE

Oil Well

DRILL DATE:

1928/00/00

TOWNSHIP

RANGE 6W

SECTION

ELEVATION:

1,181FT

DRILL DEPTH:

1.757FT

34N

3

UTMY

DEPTH TO BED:

UTM X 624,573.66

UTM Y 4,173,045.50

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 HASTEN; NO SAMPLES LOGGED, TOPS ONLY

S.W.L. (AFTER CASING):

LOG ID: 010393

WELL TYPE Private Well

DRILL DATE:

1948/08/14

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,283FT

DRILL DEPTH:

DEPTH TO BED:

318FT

83FT

248

34N

6W 31

UTM X

UTM Y

620.208.76 4,162,229.32

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

4 MI S OF SALEM ON HWY 19



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018123

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1959/03/01 DRILL DATE:

240FT

190FT

TOWNSHIP 34N

RANGE SECTION 6W

34

ELEVATION:

1,263FT

UTM X 625,160.76

UTMY 4,163,456.35

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

175

REMARKS:

LOG ID:

WELL TYPE Private Well

022782 DRILL DATE:

1964/01/30

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,289FT

DRILL DEPTH:

440FT

6W 34

> **UTM X** 625,860.77

UTMY 4,162,531.34

DEPTH TO BED: S.W.L. (BEFORE CASING):

240FT

S.W.L. (AFTER CASING):

400

REMARKS: 1 MI W OF SALEM, 3.5 MI S OF HWYS 32 & 72

LOG ID:

000216

WELL TYPE Private Well

DRILL DATE:

1905/06/29

TOWNSHIP 34N

34N

RANGE SECTION **ELEVATION:**

1,266FT

DRILL DEPTH:

175FT

6W 36

UTM X 628,631.77

ZONE 15

UTM Y 4,162,350.35

DEPTH TO BED:

4FT

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE Private Well

010488

DRILL DATE:

DEPTH TO BED:

1948/10/16

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,275FT

DRILL DEPTH:

410FT 65FT

34N

6W 36

UTM X

628.131.78

UTM Y 4,162,039.34

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

3 MI S OF McARTHUR ST IN SALEM

S.W.L. (AFTER CASING):

354



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013607

DRILL DEPTH:

WELL TYPE Private Well

1954/00/00 DRILL DATE:

400FT

DEPTH TO BED:

75FT

REMARKS:

6W

POOR SAMPLES, 9 SAMPLES LOGGED

RANGE

SECTION 36

ELEVATION:

1,262FT

UTM X 628,531.77

UTMY 4,162,453.35

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 027649

WELL TYPE Private Well

DRILL DATE:

1971/01/05

TOWNSHIP 34N

TOWNSHIP

34N

RANGE

SECTION 4

ELEVATION:

1,200FT

DRILL DEPTH: DEPTH TO BED: 255FT 140FT

REMARKS:

REMARKS:

6W

UTM X

UTMY

623,168.67

4,172,142.48

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 024993

Private Well

DRILL DATE:

1966/10/27

TOWNSHIP

RANGE

ELEVATION:

1,212FT

DRILL DEPTH:

200FT

34N

TOWNSHIP

7W 22

8 MI S OF SALEM ON HWY D (OR W?)

SECTION

UTM X 615,552.73

UTM Y 4,166,230.37

DEPTH TO BED:

120FT

140

LOMG SECTION

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 008974

WELL TYPE Private Well

DRILL DATE:

1945/10/10

FT

RANGE

SECTION

ELEVATION:

1,208FT

DRILL DEPTH:

DEPTH TO BED:

180FT 100FT 34N

7W 23

UTM X

617.746.73

UTM Y 4,166,251.37

ZONE 15

S.W.L. (BEFORE CASING):

FT

6.5 MI W OF SALEM ON LENOX RD **REMARKS**:

123 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025723

DRILL DEPTH:

WELL TYPE Private Well

1967/09/01 DRILL DATE:

350FT

DEPTH TO BED: 80FT **TOWNSHIP RANGE SECTION** 34N 7W 24

ELEVATION:

1,230FT

UTM X 619,343.73

UTMY 4,166,083.38

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

7.25 MI FROM SALEM ON HWY D, 0.25 MI S ON MAIL RT

S.W.L. (AFTER CASING):

LOG ID: 027633

WELL TYPE Private Well

DRILL DATE:

1970/07/14

TOWNSHIP

TOWNSHIP

34N

RANGE

SECTION 31

ELEVATION: 1,211FT

ZONE 15

DRILL DEPTH:

220FT

220

34N 7W

> **UTM X** 610,662.75

UTMY 4,162,851.30

FT

DEPTH TO BED: 130FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

WELL TYPE Private Well

002755 **DRILL DATE:**

1933/09/21

RANGE

7W

SECTION

ELEVATION:

1,210FT

DRILL DEPTH:

DEPTH TO BED:

400FT

80FT

32

UTM X

UTM Y

612,704.75 4,163,478.32

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

165

REMARKS:

FT

LOG ID:

026315

WELL TYPE Private Well

DRILL DATE:

1968/01/01

TOWNSHIP 34N

SECTION RANGE

ELEVATION:

1,124FT

DRILL DEPTH:

DEPTH TO BED:

270FT

7W 4

UTM X UTM Y

613.748.67

125FT

ZONE 15

4,173,239.46

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LONG 1 X 1.2 MI SECTION; NO PRODUCTION OR CONSTRUCTION

DATA



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010633

WELL TYPE Private Well

<u>DRILL DATE:</u> 1949/00/00 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,238FT

<u>DRILL DEPTH:</u> 114FT 34N 7W 5

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 95FT 611,949.69 4,170,760.42

ZONE 15

UTM X

UTM Y

S.W.L. (BEFORE CASING): FT REMARKS: 2 MI N, 0.25 MI E OF LENOX; 5200' N, 4500' W OF SE CORNER

S.W.L. (AFTER CASING): 97

LOG ID: WELL TYPE
027372 Private Well

DRILL DATE: 1970/07/30 TOWNSHIP RANGE SECTION ELEVATION: 1,284FT

DRILL DEPTH: 486FT 34N 7W 6

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 105FT 610,161.69 4,171,470.42

<u>EPTH TO BED:</u> 105FT 610,161.69 4,171,470.4 ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 1 MI S OF ANNUT

S.W.L. (AFTER CASING):

LOG ID: WELL TYPE Private Well

<u>DRILL DATE:</u> 1975/05/06 <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 1,268FT

DRILL DEPTH: 245FT 34N 7W 6

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 30FT <u>UTM S</u>
610,161.68 4,171,686.43

S.W.L. (BEFORE CASING):

REMARKS: 0.5 MI N OF LENOX ON HWY C, 3.5 MI E ON GRAVEL RD

S.W.L. (AFTER CASING):

024995

LOG ID: WELL TYPE

Private Well

<u>DRILL DATE:</u> 1966/10/01 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,273FT

DRILL DEPTH: 172FT 34N 8W 13

<u>DEPTH TO BED:</u> 80FT 609,232.71 4,168,152.37

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: IN LENOX, NEXT TO POST OFFICE

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027076

DRILL DEPTH:

WELL TYPE Private Well

215FT

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 34N 8W 13

UTM X UTM Y DEPTH TO BED: 95FT 609,232.71 4,168,152.37

ZONE 15

1,270FT

S.W.L. (BEFORE CASING):

NO PRODUCTION OR CONSTRUCTION DATA **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 027119

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,281FT

34N 8W 13 DRILL DEPTH: 220FT

UTM X **UTMY** DEPTH TO BED: 125FT 609,332.71 4,168,152.37

ZONE 15

S.W.L. (BEFORE CASING): NO PRODUCTION OR CONSTRUCTION DATA REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 027632

WELL TYPE Private Well

DRILL DATE: 1971/01/14 **TOWNSHIP RANGE SECTION ELEVATION:** 1,260FT

34N 8W 14 **DRILL DEPTH:** 200FT

UTM X UTM Y

DEPTH TO BED: 30FT 608,221.71 4,168,295.38 ZONE 15

NO PRODUCTION OR CONSTRUCTION DATA

22

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 024226

WELL TYPE Private Well

1966/04/ **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:**

> 34N 215FT

DRILL DEPTH: UTM X UTM Y

DEPTH TO BED: 80FT 606.033.72 4,166,485.35 ZONE 15

W8

S.W.L. (BEFORE CASING):

MAY BE MISS-LOCATED **REMARKS:** S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027252

DRILL DEPTH:

010295

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,352FT

> 34N 8W 35 260FT

> > **REMARKS**:

UTM X **UTMY** DEPTH TO BED: 180FT

3-4 MI FROM LENOX ON HWY C

607,439.75 4,162,100.29

ZONE 15

S.W.L. (BEFORE CASING): FT

Private Well

S.W.L. (AFTER CASING): 140

LOG ID: **WELL TYPE**

DRILL DATE: 1948/07/01 **TOWNSHIP SECTION RANGE ELEVATION:** 1,270FT

35N 4W 25 DRILL DEPTH: 171FT **UTM X UTMY**

DEPTH TO BED: 15FT 648,847.92 4,176,583.78

ZONE 15 S.W.L. (BEFORE CASING): FT

E SIDE INDIAN TRAIL PARK REMARKS:

S.W.L. (AFTER CASING): 90

LOG ID: **WELL TYPE**

019225 Exploratory Hole (Mineral Prospect)

SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION: 1,340FT

35N 4W 25 **DRILL DEPTH:** 1.316FT

UTM X UTM Y

DEPTH TO BED: 105FT 648,047.92 4,175,591.75 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

300FT

S.W.L. (AFTER CASING):

DRILL DEPTH:

LOG ID: **WELL TYPE**

Noncommunity Public Well 005863

1940/02/01 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,152FT

UTM X UTM Y DEPTH TO BED: 4,176,798.76

4W

26

10FT 646.650.88

35N

ZONE 15 S.W.L. (BEFORE CASING): FT

@ BLACKWELL DAM **REMARKS:** S.W.L. (AFTER CASING): 18



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024469

WELL TYPE

Industrial High Capacity Well

1966/06/01 DRILL DATE:

TOWNSHIP RANGE SECTION 35N 4W

26

ELEVATION: 1,159FT

DRILL DEPTH: 400FT

UTM X 646,650.88

UTMY 4,176,594.76

DEPTH TO BED: 15FT

ZONE 15

S.W.L. (BEFORE CASING):

INDIAN TRAIL FISH HATCHERY; "WATER VERY SULPHUROUS" **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 002740

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1933/07/17

TOWNSHIP

SECTION RANGE

ELEVATION: 1,318FT

DRILL DEPTH:

225FT

35N 4W 34

UTM X

DEPTH TO BED: 50FT 644,626.86

UTMY 4,175,187.71

ZONE 15

S.W.L. (BEFORE CASING):

FT

WHERE ROAD TO PARK LEAVES HWY 19 REMARKS:

S.W.L. (AFTER CASING): 100

LOG ID: 002902

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1934/08/01

TOWNSHIP RANGE

SECTION

ELEVATION: 1,320FT

DRILL DEPTH:

455FT

35N

4W 34

UTM X UTM Y

DEPTH TO BED:

55FT

190

644,626.86

4,175,187.71

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: NUMEROUS CAVITY OPENINGS - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID: 010292

WELL TYPE

Private Well

DRILL DATE:

1948/07/25

TOWNSHIP RANGE

35N

SECTION

ELEVATION: 1,275FT

DRILL DEPTH:

116FT

40FT

4W 36

UTM X UTM Y

648.739.95

4,174,576.74

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

E EDGE OF INDIAN TRAIL PARK **REMARKS:**

S.W.L. (AFTER CASING):

74



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021019

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

1962/05/03 DRILL DATE:

TOWNSHIP RANGE SECTION 35N 5W 23

465FT

UTM X **UTMY** DEPTH TO BED: 55FT 636,968.68 4,177,531.66

ZONE 15

ELEVATION:

1,178FT

S.W.L. (BEFORE CASING): FT

HWY 19 @ SHORT BEND N OF SALEM **REMARKS:**

S.W.L. (AFTER CASING): 230

LOG ID: 005060

WELL TYPE Private Well

DRILL DATE: 1938/09/01 **TOWNSHIP SECTION RANGE ELEVATION:** 1,149FT

35N 5W 27 DRILL DEPTH: 122FT

UTM X UTMY DEPTH TO BED: 50FT 634,668.65 4,176,313.61

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 7 MI N OF SALEM ON HWY 19

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Community Public Well 027303

DRILL DATE: 1971/09/01 **TOWNSHIP RANGE SECTION ELEVATION:** 1,243FT

35N **5W** 31 **DRILL DEPTH:** 555FT

UTM X UTM Y **DEPTH TO BED:** 630,949.63 4,174,300.55 100FT

S.W.L. (BEFORE CASING): 85 FT **REMARKS:** formerly in name of Salem Trailer Park - 5 MI N OF SALEM ON HWY

S.W.L. (AFTER CASING): 95 FT

LOG ID: 024344

WELL TYPE Private Well

1966/08/09 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,096FT

DRILL DEPTH: UTM X UTM Y

6W

DEPTH TO BED: 628,001.52 4,183,326.70

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): FT

35N

REMARKS:

120FT

25 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 000217

DRILL DEPTH:

WELL TYPE

Industrial High Capacity Well

165FT

1905/09/29 DRILL DATE:

TOWNSHIP RANGE

DEPTH TO BED: 10FT 35N 6W 18

620,523.60 4,179,584.59

1,125FT

UTMY

ZONE 15

ELEVATION:

UTM X

S.W.L. (BEFORE CASING):

6 MI W OF HOBSON; ABANDONED; MANY MISSING SAMPLES **REMARKS**:

18

SECTION

S.W.L. (AFTER CASING):

LOG ID: 008302

DRILL DATE:

WELL TYPE Private Well

1943/07/01 **TOWNSHIP SECTION RANGE ELEVATION:** 1,142FT 6W

NEAR HOBSON

35N

REMARKS:

REMARKS:

TOWNSHIP

35N

DRILL DEPTH: 200FT

UTM X UTMY 620,423.60 4,179,109.58

DEPTH TO BED: 105FT S.W.L. (BEFORE CASING): FT

ZONE 15

S.W.L. (AFTER CASING): 163

LOG ID: 010289

WELL TYPE

Private Well

DRILL DATE: 1948/09/02 **TOWNSHIP RANGE SECTION** 35N 6W 2

ELEVATION: 1,123FT

DRILL DEPTH: 223FT

UTM X UTM Y 627,273.54 4,182,375.68

DEPTH TO BED: 115FT

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 163

LOG ID:

WELL TYPE

Private Well 023421

DRILL DATE:

DEPTH TO BED:

190FT

SECTION RANGE 6W

8 MI N OF SALEM ON HWY 68

ELEVATION: 1,142FT

DRILL DEPTH: 320FT

UTM X UTM Y

627.173.54 4,181,860.66

ZONE 15

S.W.L. (BEFORE CASING):

10 MI N OF SALEM ON HWY 68; EVERY OTHER SAMPLE LOGGED **REMARKS**:

2

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023490

WELL TYPE Private Well

1965/05/28 DRILL DATE:

TOWNSHIP RANGE 35N 6W

ELEVATION:

1,134FT

DRILL DEPTH:

202FT

115

UTM X

UTMY 4,183,302.70

DEPTH TO BED: 130FT

FT

627,573.52

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

WELL TYPE Private Well

017665 DRILL DATE:

1958/08/01

TOWNSHIP 35N

SECTION RANGE

SECTION

2

ELEVATION: 1,153FT

DRILL DEPTH:

140FT

6W 33

UTM X **UTMY**

DEPTH TO BED: 80FT

624,519.64

4,174,586.53

ZONE 15

S.W.L. (BEFORE CASING):

FT

5 MI N OF SALEM ON HWY 68, W MI W OF HWY REMARKS:

S.W.L. (AFTER CASING):

95

LOG ID:

S.W.L. (AFTER CASING):

WELL TYPE

024221

Private Well

DRILL DATE:

1966/03/10

TOWNSHIP RANGE **SECTION**

35

ELEVATION:

1,231FT

DRILL DEPTH:

165FT

35N 6W

> UTM X 627,776.63

UTM Y 4,175,036.55

DEPTH TO BED:

65FT

S.W.L. (BEFORE CASING):

110

FT

REMARKS: 4 MI N OF SALEM ON HWY 68

LOG ID:

022793

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP 35N

SECTION RANGE

ELEVATION: 1,094FT

ZONE 15

DRILL DEPTH: DEPTH TO BED: 240FT 75FT

6W 5

UTM X UTM Y

4,181,773.64

621.494.56

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

180

REMARKS:

ON HWY FF 4 MI E OF HWY 72

ZONE 15

2/27/2007

1,394



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004416

WELL TYPE Private Well

1937/09/01 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

35N **7W DRILL DEPTH:** 129FT

UTM X **UTMY** DEPTH TO BED: 55FT 619,189.56 4,182,656.65

1

1

1,010FT

ZONE 15 S.W.L. (BEFORE CASING): FT @ BARN, 2 MI N OF LAKE SPRINGS, ON DRY FORK

REMARKS:

REMARKS:

S.W.L. (AFTER CASING): 94

LOG ID: 004417

WELL TYPE Private Well

1937/09/01 **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 1,035FT

35N 7W DRILL DEPTH: 165FT

UTM X UTMY DEPTH TO BED: 70FT 618,589.57 4,182,042.63

2 MI N OF LAKE SPRINGS

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 120

LOG ID: 017655

WELL TYPE Private Well

DRILL DATE: 1958/00/00 **TOWNSHIP RANGE SECTION ELEVATION:** 1,027FT

35N **7W DRILL DEPTH:** 242FT

UTM X UTM Y

DEPTH TO BED: 20FT 618,989.57 4,182,042.63 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** LAKE SPRINGS

90 S.W.L. (AFTER CASING):

LOG ID: 021601

WELL TYPE Private Well

1962/11/01 **RANGE DRILL DATE: TOWNSHIP SECTION ELEVATION:** 1,106FT

DRILL DEPTH: UTM X UTM Y

7W

11

DEPTH TO BED: 90FT 617.554.60 4,180,203.59

ZONE 15

35N

S.W.L. (BEFORE CASING): FT HWY 72. 2 MI S OF LAKE SPRINGS **REMARKS:**

S.W.L. (AFTER CASING): 120

200FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015252

DEPTH TO BED:

WELL TYPE Private Well

1952/07/01 DRILL DATE:

TOWNSHIP RANGE SECTION 35N 12

ELEVATION:

1,086FT

DRILL DEPTH:

7W

UTM X **UTMY** 619,775.59 4,180,424.60

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

100

150FT

35FT

LOG ID: 014057

WELL TYPE Private Well

DRILL DATE:

1955/10/01

TOWNSHIP

SECTION RANGE

ELEVATION: 1,040FT

DRILL DEPTH:

180FT

35N 15 7W

UTM X UTMY

615,511.60

4,180,023.58

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

45FT

FT **REMARKS:**

S.W.L. (AFTER CASING): 85

WELL TYPE

LOG ID: 005393

Private Well

DRILL DATE:

1939/05/01

TOWNSHIP RANGE SECTION 35N

ELEVATION:

1,131FT

DRILL DEPTH:

140FT 42FT

7W 17

UTM X UTM Y

DEPTH TO BED:

FT

FT

FΤ

612,467.63 4,178,624.54

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

118

LOG ID:

WELL TYPE

021156

Noncommunity Public Well

DRILL DATE:

1962/08/01

TOWNSHIP

SECTION RANGE

ELEVATION:

1,158FT

DRILL DEPTH:

477FT

35N

7W

25

UTM X

UTM Y

DEPTH TO BED:

105FT

4,175,431.51

618,448.64

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

135 155

REMARKS:

formerly in name of Dent County R-3 School

ZONE 15

2/27/2007

1,396



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003947

DRILL DEPTH:

WELL TYPE Private Well

1936/10/07 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 35N 7W 157FT

UTM X **UTMY** DEPTH TO BED: 30FT

616,331.58 4,181,827.62

1,008FT

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING): FT 0.35 MI S OF P.O. @ LAKE SPRINGS, ACROSS BRANCH E OF **REMARKS**:

SCHOOLHOUSE

LOG ID: 014029

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE: 1955/10/01 **TOWNSHIP SECTION RANGE ELEVATION:** 995FT

35N 3 7W DRILL DEPTH: 145FT

UTM X UTMY DEPTH TO BED: 40FT 616,331.57 4,182,039.62

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

30

S.W.L. (AFTER CASING): 40

LOG ID: 025194

WELL TYPE Private Well

DRILL DATE: 1967/00/00 **TOWNSHIP RANGE SECTION ELEVATION:** 1,135FT

35N **7W** 31 **DRILL DEPTH:** 265FT

UTM X UTM Y

3

DEPTH TO BED: 610,980.66 4,174,610.47 135FT ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: 1 MI E OF ANNUT; MAY BE LOCATED IN WRONG SECTION

S.W.L. (AFTER CASING):

LOG ID: 027428

WELL TYPE Private Well

1970/00/00 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,178FT

35N 7W 35 **DRILL DEPTH:** 260FT

UTM X UTM Y DEPTH TO BED:

130FT 617.866.65 4,175,213.51

ZONE 15 S.W.L. (BEFORE CASING):

REMARKS: S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012963

WELL TYPE Private Well

1954/00/00 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,155FT

> 35N 7W 200FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED:

614,304.56 4,183,302.64

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 130

LOG ID: 013221

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1954/10/01 **RANGE ELEVATION:** 1,110FT

35N 7W DRILL DEPTH: 901FT

UTM X **UTMY** DEPTH TO BED: 375FT 614,504.58 4,182,462.62

ZONE 15

S.W.L. (BEFORE CASING): BUBBLING SPRINGS FARM @ LAKE SPRINGS REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 014806

WELL TYPE Private Well

DRILL DATE: 1956/04/01 **TOWNSHIP RANGE SECTION ELEVATION:** 1,199FT

35N **7W** 5 **DRILL DEPTH:** 210FT

UTM X UTM Y

6

4

DEPTH TO BED: 100FT 611,878.59 4,182,050.60

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS**: **LECOMA**

S.W.L. (AFTER CASING): 163

LOG ID: 013382

WELL TYPE Private Well

SECTION DRILL DATE: 1955/03/01 **TOWNSHIP RANGE ELEVATION:** 1,198FT

35N

DRILL DEPTH: 190FT UTM X UTM Y

DEPTH TO BED: 30FT 611,580.59 4,182,236.60

ZONE 15

7W

S.W.L. (BEFORE CASING): FT

REMARKS: @ LECOMA S.W.L. (AFTER CASING): 155



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018528

WELL TYPE Private Well

1959/10/01 DRILL DATE: **TOWNSHIP**

127

RANGE SECTION 7W

ELEVATION:

1,204FT

DRILL DEPTH:

200FT

8

UTM X

UTMY 4,181,360.59

DEPTH TO BED: 75FT

612,371.60

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

0.5 MIS OF LACOMA **REMARKS**:

35N

LOG ID:

010492

WELL TYPE Private Well

DRILL DATE:

1948/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

1,059FT

DRILL DEPTH:

240FT

35N 7W

UTM X

UTMY

DEPTH TO BED:

65FT

614,908.58 4,181,659.61

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

1 MI W OF LAKE SPRINGS; OLD WELL DEEPENED 170-240'

9

9

(#11100)

LOG ID: 011100

WELL TYPE Private Well

DRILL DATE:

1948/00/00

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,059FT

DRILL DEPTH:

240FT

35N **7W**

> UTM X UTM Y

DEPTH TO BED:

105FT

614,908.58 4,181,659.61

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #10492 DEEPENED 170-240'; SEE 10492 FOR WHOLE LOG

S.W.L. (AFTER CASING):

LOG ID: 019243

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP

35N

SECTION RANGE

ELEVATION:

1,017FT

DRILL DEPTH:

105FT

W8 2

UTM X

ZONE 15

607.770.59

UTM Y 4,182,968.60

DEPTH TO BED:

85FT

52

FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

5 SAMPLES LOGGED REMARKS:

DENT